Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	3	1	4
Diagnosis		% within Sex	.2%	.3%	.2%
	5-12	Count	3	2	5
		% within Sex	.2%	.5%	.3%
	13-19	Count	23	20	43
		% within Sex	1.7%	5.0%	2.4%
	20-24	Count	112	50	162
		% within Sex	8.1%	12.6%	9.1%
	25-29	Count	158	69	227
		% within Sex	11.5%	17.4%	12.8%
	30-39	Count	556	142	698
		% within Sex	40.4%	35.8%	39.4%
	40-49	Count	391	85	476
		% within Sex	28.4%	21.4%	26.9%
	50-59	Count	112	17	129
		% within Sex	8.1%	4.3%	7.3%
	60-69	Count	11	8	19
		% within Sex	.8%	2.0%	1.1%
	70+	Count	2	1	3
		% within Sex	.1%	.3%	.2%
	Unknown	Count	4	2	6
		% within Sex	.3%	.5%	.3%
Total		Count	1375	397	1772
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

HIV Infection Cases Reported during 2002 (from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	721	115	836
		% within Sex	52.4%	29.0%	47.2%
	African American	Count	415	227	642
		% within Sex	30.2%	57.2%	36.2%
	Hispanic	Count	208	49	257
		% within Sex	15.1%	12.3%	14.5%
	Asian-Pacific Islander	Count	10	1	11
		% within Sex	.7%	.3%	.6%
	Am Indian-Alaskan	Count	3	2	5
		% within Sex	.2%	.5%	.3%
	Not Specified	Count	18	3	21
		% within Sex	1.3%	.8%	1.2%
Total		Count	1375	397	1772
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	919		919
Exposure		% within Sex	66.8%		51.9%
	IDU	Count	83	59	142
		% within Sex	6.0%	14.9%	8.0%
	M-M & IDU	Count	49		49
		% within Sex	3.6%		2.8%
	Hemophiliac	Count	2		2
		% within Sex	.1%		.1%
	Heterosexual Contact	Count	41	186	227
		% within Sex	3.0%	46.9%	12.8%
	Transfusion	Count	3	3	6
		% within Sex	.2%	.8%	.3%
	Not Classified	Count	272	146	418
		% within Sex	19.8%	36.8%	23.6%
	Ped Hemophiliac	Count	1		1
		% within Sex	.1%		.1%
	Ped Parent at Risk	Count	4	3	7
		% within Sex	.3%	.8%	.4%
	Ped Other-Undet	Count	1		1
		% within Sex	.1%		.1%
Total		Count	1375	397	1772
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

HIV Infection Cases Reported during 2002 (from the 02/27/03 HARS data set)

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	2	833	1	836
		% within Adult-Ped	22.2%	47.4%	16.7%	47.2%
	African American	Count	7	631	4	642
		% within Adult-Ped	77.8%	35.9%	66.7%	36.2%
	Hispanic	Count		256	1	257
		% within Adult-Ped		14.6%	16.7%	14.5%
	Asian-Pacific Islander	Count		11		11
		% within Adult-Ped		.6%		.6%
	Am Indian-Alaskan	Count		5		5
		% within Adult-Ped		.3%		.3%
	Not Specified	Count		21		21
		% within Adult-Ped		1.2%		1.2%
Total		Count	9	1757	6	1772
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Sex * Adult-Ped Crosstabulation^a

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Sex	Male	Count	6	1365	4	1375
		% within Adult-Ped	66.7%	77.7%	66.7%	77.6%
	Female	Count	3	392	2	397
		% within Adult-Ped	33.3%	22.3%	33.3%	22.4%
Total		Count	9	1757	6	1772
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	7	4	11
Diagnosis		% within Sex	.7%	1.2%	.8%
	1 (12-23 mo)	Count		1	1
		% within Sex		.3%	.1%
	2-4	Count	1		1
		% within Sex	.1%		.1%
	13-19	Count	8	26	34
		% within Sex	.8%	7.8%	2.6%
	20-24	Count	84	51	135
		% within Sex	8.5%	15.3%	10.3%
	25-29	Count	156	64	220
		% within Sex	15.9%	19.2%	16.7%
	30-39	Count	425	107	532
		% within Sex	43.2%	32.0%	40.4%
	40-49	Count	229	51	280
		% within Sex	23.3%	15.3%	21.3%
	50-59	Count	60	26	86
		% within Sex	6.1%	7.8%	6.5%
	60-69	Count	13	4	17
		% within Sex	1.3%	1.2%	1.3%
Total		Count	983	334	1317
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

HIV Infection Cases Reported during 2001 (from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	500	75	575
		% within Sex	50.9%	22.5%	43.7%
	African American	Count	306	205	511
		% within Sex	31.1%	61.4%	38.8%
	Hispanic	Count	159	53	212
		% within Sex	16.2%	15.9%	16.1%
	Asian-Pacific Islander	Count	12		12
		% within Sex	1.2%		.9%
	Am Indian-Alaskan	Count	3		3
		% within Sex	.3%		.2%
	Not Specified	Count	3	1	4
		% within Sex	.3%	.3%	.3%
Total		Count	983	334	1317
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	610		610
Exposure		% within Sex	62.1%		46.3%
	IDU	Count	72	81	153
		% within Sex	7.3%	24.3%	11.6%
	M-M & IDU	Count	54		54
		% within Sex	5.5%		4.1%
	Hemophiliac	Count	1		1
		% within Sex	.1%		.1%
	Heterosexual Contact	Count	19	52	71
		% within Sex	1.9%	15.6%	5.4%
	Transfusion	Count	1		1
		% within Sex	.1%		.1%
	Not Classified	Count	218	196	414
		% within Sex	22.2%	58.7%	31.4%
	Ped Parent at Risk	Count	5	5	10
		% within Sex	.5%	1.5%	.8%
	Ped Other-Undet	Count	3		3
		% within Sex	.3%		.2%
Total		Count	983	334	1317
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

HIV Infection Cases Reported during 2001 (from the 02/27/03 HARS data set)

			Adult	-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count	3	572	575
		% within Adult-Ped	23.1%	43.9%	43.7%
	African American	Count	7	504	511
		% within Adult-Ped	53.8%	38.7%	38.8%
	Hispanic	Count	3	209	212
		% within Adult-Ped	23.1%	16.0%	16.1%
	Asian-Pacific Islander	Count		12	12
		% within Adult-Ped		.9%	.9%
	Am Indian-Alaskan	Count		3	3
		% within Adult-Ped		.2%	.2%
	Not Specified	Count		4	4
		% within Adult-Ped		.3%	.3%
Total		Count	13	1304	1317
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Sex * Adult-Ped Crosstabulation^a

			Adult	-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Sex	Male	Count	8	975	983
		% within Adult-Ped	61.5%	74.8%	74.6%
	Female	Count	5	329	334
		% within Adult-Ped	38.5%	25.2%	25.4%
Total		Count	13	1304	1317
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	25	22	47
Diagnosis		% within Sex	.6%	1.8%	.9%
	1 (12-23 mo)	Count	1	7	8
		% within Sex	.0%	.6%	.2%
	2-4	Count	5	6	11
		% within Sex	.1%	.5%	.2%
	5-12	Count	16	5	21
		% within Sex	.4%	.4%	.4%
	13-19	Count	52	94	146
		% within Sex	1.3%	7.8%	2.9%
	20-24	Count	328	176	504
		% within Sex	8.5%	14.6%	9.9%
	25-29	Count	580	222	802
		% within Sex	15.0%	18.4%	15.8%
	30-39	Count	1653	388	2041
		% within Sex	42.7%	32.2%	40.2%
	40-49	Count	916	203	1119
		% within Sex	23.7%	16.9%	22.1%
	50-59	Count	236	61	297
		% within Sex	6.1%	5.1%	5.9%
	60-69	Count	46	15	61
		% within Sex	1.2%	1.2%	1.2%
	70+	Count	4	2	6
		% within Sex	.1%	.2%	.1%
	Unknown	Count	8	3	11
		% within Sex	.2%	.2%	.2%
Total		Count	3870	1204	5074
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Cumulative Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	2011	328	2339
		% within Sex	52.0%	27.2%	46.1%
	African American	Count	1238	712	1950
		% within Sex	32.0%	59.1%	38.4%
	Hispanic	Count	550	152	702
		% within Sex	14.2%	12.6%	13.8%
	Asian-Pacific Islander	Count	31	2	33
		% within Sex	.8%	.2%	.7%
	Am Indian-Alaskan	Count	13	5	18
		% within Sex	.3%	.4%	.4%
	Not Specified	Count	27	5	32
		% within Sex	.7%	.4%	.6%
Total		Count	3870	1204	5074
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	2505		2505
Exposure		% within Sex	64.7%		49.4%
	IDU	Count	234	238	472
		% within Sex	6.0%	19.8%	9.3%
	M-M & IDU	Count	249		249
		% within Sex	6.4%		4.9%
	Hemophiliac	Count	6		6
		% within Sex	.2%		.1%
	Heterosexual Contact	Count	124	368	492
		% within Sex	3.2%	30.6%	9.7%
	Transfusion	Count	7	7	14
		% within Sex	.2%	.6%	.3%
	Not Classified	Count	698	551	1249
		% within Sex	18.0%	45.8%	24.6%
	Ped Hemophiliac	Count	8		8
		% within Sex	.2%		.2%
	Ped Parent at Risk	Count	32	36	68
		% within Sex	.8%	3.0%	1.3%
	Ped Transfusion	Count		1	1
		% within Sex		.1%	.0%
	Ped Other-Undet	Count	7	3	10
		% within Sex	.2%	.2%	.2%
Total		Count	3870	1204	5074
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Cumulative Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	27	2307	5	2339
		% within Adult-Ped	31.0%	46.4%	45.5%	46.1%
	African American	Count	46	1900	4	1950
		% within Adult-Ped	52.9%	38.2%	36.4%	38.4%
	Hispanic	Count	13	687	2	702
		% within Adult-Ped	14.9%	13.8%	18.2%	13.8%
	Asian-Pacific Islander	Count	1	32		33
		% within Adult-Ped	1.1%	.6%		.7%
	Am Indian-Alaskan	Count		18		18
		% within Adult-Ped		.4%		.4%
	Not Specified	Count		32		32
		% within Adult-Ped		.6%		.6%
Total		Count	87	4976	11	5074
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Sex * Adult-Ped Crosstabulation^a

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Sex	Male	Count	47	3815	8	3870
		% within Adult-Ped	54.0%	76.7%	72.7%	76.3%
	Female	Count	40	1161	3	1204
		% within Adult-Ped	46.0%	23.3%	27.3%	23.7%
Total		Count	87	4976	11	5074
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	24	22	46
Diagnosis		% within Sex	.6%	1.9%	.9%
	1 (12-23 mo)	Count	1	7	8
		% within Sex	.0%	.6%	.2%
	2-4	Count	5	5	10
		% within Sex	.1%	.4%	.2%
	5-12	Count	16	4	20
		% within Sex	.4%	.3%	.4%
	13-19	Count	52	94	146
		% within Sex	1.4%	7.9%	2.9%
	20-24	Count	325	175	500
		% within Sex	8.6%	14.7%	10.0%
	25-29	Count	576	219	795
		% within Sex	15.2%	18.4%	15.9%
	30-39	Count	1631	383	2014
		% within Sex	42.9%	32.2%	40.4%
	40-49	Count	893	199	1092
		% within Sex	23.5%	16.8%	21.9%
	50-59	Count	222	60	282
		% within Sex	5.8%	5.1%	5.7%
	60-69	Count	44	15	59
		% within Sex	1.2%	1.3%	1.2%
	70+	Count	3	2	5
		% within Sex	.1%	.2%	.1%
	Unknown	Count	8	3	11
		% within Sex	.2%	.3%	.2%
Total		Count	3800	1188	4988
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	0 (0-11 mo)	Count	2		2
Age		% within Sex	.1%		.0%
	1 (12-23 mo)	Count	5	2	7
		% within Sex	.1%	.2%	.1%
	2-4	Count	10	11	21
		% within Sex	.3%	.9%	.4%
	5-12	Count	18	20	38
		% within Sex	.5%	1.7%	.8%
	13-19	Count	19	40	59
		% within Sex	.5%	3.4%	1.2%
	20-24	Count	208	140	348
		% within Sex	5.5%	11.8%	7.0%
	25-29	Count	424	205	629
		% within Sex	11.2%	17.3%	12.6%
	30-39	Count	1574	417	1991
		% within Sex	41.4%	35.1%	39.9%
	40-49	Count	1153	254	1407
		% within Sex	30.3%	21.4%	28.2%
	50-59	Count	311	75	386
		% within Sex	8.2%	6.3%	7.7%
	60-69	Count	67	20	87
		% within Sex	1.8%	1.7%	1.7%
	70+	Count	7	2	9
		% within Sex	.2%	.2%	.2%
	Unknown	Count	2	2	4
		% within Sex	.1%	.2%	.1%
Total		Count	3800	1188	4988
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	1980	323	2303
		% within Sex	52.1%	27.2%	46.2%
	African American	Count	1212	704	1916
		% within Sex	31.9%	59.3%	38.4%
	Hispanic	Count	539	149	688
		% within Sex	14.2%	12.5%	13.8%
	Asian-Pacific Islander	Count	31	2	33
		% within Sex	.8%	.2%	.7%
	Am Indian-Alaskan	Count	11	5	16
		% within Sex	.3%	.4%	.3%
	Not Specified	Count	27	5	32
		% within Sex	.7%	.4%	.6%
Total		Count	3800	1188	4988
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	2473		2473
Exposure		% within Sex	65.1%		49.6%
	IDU	Count	226	234	460
		% within Sex	5.9%	19.7%	9.2%
	M-M & IDU	Count	245		245
		% within Sex	6.4%		4.9%
	Hemophiliac	Count	6		6
		% within Sex	.2%		.1%
	Heterosexual Contact	Count	121	367	488
		% within Sex	3.2%	30.9%	9.8%
	Transfusion	Count	7	7	14
		% within Sex	.2%	.6%	.3%
	Not Classified	Count	676	542	1218
		% within Sex	17.8%	45.6%	24.4%
	Ped Hemophiliac	Count	8		8
		% within Sex	.2%		.2%
	Ped Parent at Risk	Count	31	34	65
		% within Sex	.8%	2.9%	1.3%
	Ped Transfusion	Count		1	1
		% within Sex		.1%	.0%
	Ped Other-Undet	Count	7	3	10
		% within Sex	.2%	.3%	.2%
Total		Count	3800	1188	4988
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	25	2273	5	2303
		% within Adult-Ped	29.8%	46.5%	45.5%	46.2%
	African American	Count	45	1867	4	1916
		% within Adult-Ped	53.6%	38.2%	36.4%	38.4%
	Hispanic	Count	13	673	2	688
		% within Adult-Ped	15.5%	13.8%	18.2%	13.8%
	Asian-Pacific Islander	Count	1	32		33
		% within Adult-Ped	1.2%	.7%		.7%
	Am Indian-Alaskan	Count		16		16
		% within Adult-Ped		.3%		.3%
	Not Specified	Count		32		32
		% within Adult-Ped		.7%		.6%
Total		Count	84	4893	11	4988
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Sex * Adult-Ped Crosstabulation^a

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Sex	Male	Count	46	3746	8	3800
		% within Adult-Ped	54.8%	76.6%	72.7%	76.2%
	Female	Count	38	1147	3	1188
		% within Adult-Ped	45.2%	23.4%	27.3%	23.8%
Total		Count	84	4893	11	4988
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Age at Diagnosis * Sex Crosstabulationa

			Se	ex	
			Male	Female	Total
Age at	5-12	Count		1	1
Diagnosis		% within Sex		.5%	.1%
	13-19	Count	3	2	5
		% within Sex	.4%	1.1%	.6%
	20-24	Count	23	9	32
		% within Sex	3.2%	4.9%	3.5%
	25-29	Count	66	27	93
		% within Sex	9.1%	14.8%	10.2%
	30-39	Count	334	85	419
		% within Sex	45.9%	46.7%	46.1%
	40-49	Count	214	40	254
		% within Sex	29.4%	22.0%	27.9%
	50-59	Count	70	16	86
		% within Sex	9.6%	8.8%	9.5%
	60-69	Count	13	2	15
		% within Sex	1.8%	1.1%	1.7%
	70+	Count	3		3
		% within Sex	.4%		.3%
	Unknown	Count	1		1
		% within Sex	.1%		.1%
Total		Count	727	182	909
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	329	43	372
		% within Sex	45.3%	23.6%	40.9%
	African American	Count	251	113	364
		% within Sex	34.5%	62.1%	40.0%
	Hispanic	Count	142	24	166
		% within Sex	19.5%	13.2%	18.3%
	Asian-Pacific Islander	Count	5	2	7
		% within Sex	.7%	1.1%	.8%
Total		Count	727	182	909
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

AIDS Cases Reported during 2002 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	415		415
Exposure		% within Sex	57.1%		45.7%
	IDU	Count	82	40	122
		% within Sex	11.3%	22.0%	13.4%
	M-M & IDU	Count	34		34
		% within Sex	4.7%		3.7%
	Hemophiliac	Count	1		1
		% within Sex	.1%		.1%
	Heterosexual Contact	Count	19	64	83
		% within Sex	2.6%	35.2%	9.1%
	Transfusion	Count	4	4	8
		% within Sex	.6%	2.2%	.9%
	Not Classified	Count	172	72	244
		% within Sex	23.7%	39.6%	26.8%
	Ped Parent at Risk	Count		1	1
		% within Sex		.5%	.1%
	Ped Transfusion	Count		1	1
		% within Sex		.5%	.1%
Total		Count	727	182	909
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	1	370	1	372
		% within Adult-Ped	100.0%	40.8%	100.0%	40.9%
	African American	Count		364		364
		% within Adult-Ped		40.1%		40.0%
	Hispanic	Count		166		166
		% within Adult-Ped		18.3%		18.3%
	Asian-Pacific Islander	Count		7		7
		% within Adult-Ped		.8%		.8%
Total		Count	1	907	1	909
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

AIDS Cases Reported during 2002 (from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Sex	Male	Count		726	1	727
		% within Adult-Ped		80.0%	100.0%	80.0%
	Female	Count	1	181		182
		% within Adult-Ped	100.0%	20.0%		20.0%
Total		Count	1	907	1	909
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	13-19	Count		2	2
Diagnosis		% within Sex		1.1%	.2%
	20-24	Count	35	12	47
		% within Sex	4.5%	6.7%	4.9%
	25-29	Count	74	19	93
		% within Sex	9.6%	10.6%	9.8%
	30-39	Count	336	80	416
		% within Sex	43.5%	44.4%	43.7%
	40-49	Count	234	46	280
		% within Sex	30.3%	25.6%	29.4%
	50-59	Count	80	16	96
		% within Sex	10.3%	8.9%	10.1%
	60-69	Count	13	4	17
		% within Sex	1.7%	2.2%	1.8%
	70+	Count	1	1	2
		% within Sex	.1%	.6%	.2%
Total		Count	773	180	953
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

			Se	ЭX	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	368	35	403
		% within Sex	47.6%	19.4%	42.3%
	African American	Count	246	121	367
		% within Sex	31.8%	67.2%	38.5%
	Hispanic	Count	150	19	169
		% within Sex	19.4%	10.6%	17.7%
	Asian-Pacific Islander	Count	8	1	9
		% within Sex	1.0%	.6%	.9%
	Am Indian-Alaskan	Count		2	2
		% within Sex		1.1%	.2%
	Not Specified	Count	1	2	3
		% within Sex	.1%	1.1%	.3%
Total		Count	773	180	953
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	452		452
Exposure		% within Sex	58.5%		47.4%
	IDU	Count	67	38	105
		% within Sex	8.7%	21.1%	11.0%
	M-M & IDU	Count	63		63
		% within Sex	8.2%		6.6%
	Hemophiliac	Count	1		1
		% within Sex	.1%		.1%
	Heterosexual Contact	Count	14	37	51
		% within Sex	1.8%	20.6%	5.4%
	Transfusion	Count	2	2	4
		% within Sex	.3%	1.1%	.4%
	Not Classified	Count	172	103	275
		% within Sex	22.3%	57.2%	28.9%
	Ped Hemophiliac	Count	1		1
		% within Sex	.1%		.1%
	Ped Transfusion	Count	1	_	1
		% within Sex	.1%		.1%
Total		Count	773	180	953
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	White Non-Hispanic	Count	403	403
		% within Adult-Ped	42.3%	42.3%
	African American	Count	367	367
		% within Adult-Ped	38.5%	38.5%
	Hispanic	Count	169	169
		% within Adult-Ped	17.7%	17.7%
	Asian-Pacific Islander	Count	9	9
		% within Adult-Ped	.9%	.9%
	Am Indian-Alaskan	Count	2	2
		% within Adult-Ped	.2%	.2%
	Not Specified	Count	3	3
		% within Adult-Ped	.3%	.3%
Total		Count	953	953
		% within Adult-Ped	100.0%	100.0%

a. Planning Area = North Central Texas

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	773	773
		% within Adult-Ped	81.1%	81.1%
	Female	Count	180	180
		% within Adult-Ped	18.9%	18.9%
Total		Count	953	953
		% within Adult-Ped	100.0%	100.0%

a. Planning Area = North Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	14	11	25
Diagnosis		% within Sex	.1%	.6%	.1%
	1 (12-23 mo)	Count	10	3	13
		% within Sex	.1%	.2%	.1%
	2-4	Count	6	9	15
		% within Sex	.0%	.5%	.1%
	5-12	Count	11	7	18
		% within Sex	.1%	.4%	.1%
	13-19	Count	54	27	81
		% within Sex	.3%	1.4%	.4%
	20-24	Count	609	156	765
		% within Sex	3.7%	8.1%	4.2%
	25-29	Count	2655	327	2982
		% within Sex	16.2%	17.0%	16.3%
	30-39	Count	8060	784	8844
		% within Sex	49.3%	40.8%	48.4%
	40-49	Count	3638	410	4048
		% within Sex	22.3%	21.4%	22.2%
	50-59	Count	996	117	1113
		% within Sex	6.1%	6.1%	6.1%
	60-69	Count	243	48	291
		% within Sex	1.5%	2.5%	1.6%
	70+	Count	44	21	65
		% within Sex	.3%	1.1%	.4%
	Unknown	Count	1		1
		% within Sex	.0%		.0%
Total		Count	16341	1920	18261
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Cumulative Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	10595	627	11222
		% within Sex	64.8%	32.7%	61.5%
	African American	Count	3806	1076	4882
		% within Sex	23.3%	56.0%	26.7%
	Hispanic	Count	1821	195	2016
		% within Sex	11.1%	10.2%	11.0%
	Asian-Pacific Islander	Count	73	15	88
		% within Sex	.4%	.8%	.5%
	Am Indian-Alaskan	Count	40	5	45
		% within Sex	.2%	.3%	.2%
	Not Specified	Count	6	2	8
		% within Sex	.0%	.1%	.0%
Total		Count	16341	1920	18261
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

			Se	×	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	11922		11922
Exposure		% within Sex	73.0%		65.3%
	IDU	Count	1399	677	2076
		% within Sex	8.6%	35.3%	11.4%
	M-M & IDU	Count	1507		1507
		% within Sex	9.2%		8.3%
	Hemophiliac	Count	66	5	71
		% within Sex	.4%	.3%	.4%
	Heterosexual Contact	Count	344	642	986
		% within Sex	2.1%	33.4%	5.4%
	Transfusion	Count	136	106	242
		% within Sex	.8%	5.5%	1.3%
	Not Classified	Count	915	458	1373
		% within Sex	5.6%	23.9%	7.5%
	Ped Hemophiliac	Count	13		13
		% within Sex	.1%		.1%
	Ped Parent at Risk	Count	31	25	56
		% within Sex	.2%	1.3%	.3%
	Ped Transfusion	Count	8	4	12
		% within Sex	.0%	.2%	.1%
	Ped Other-Undet	Count		3	3
		% within Sex		.2%	.0%
Total		Count	16341	1920	18261
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Cumulative Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	26	11195	1	11222
		% within Adult-Ped	36.6%	61.5%	100.0%	61.5%
	African American	Count	36	4846		4882
		% within Adult-Ped	50.7%	26.6%		26.7%
	Hispanic	Count	8	2008		2016
		% within Adult-Ped	11.3%	11.0%		11.0%
	Asian-Pacific Islander	Count	1	87		88
		% within Adult-Ped	1.4%	.5%		.5%
	Am Indian-Alaskan	Count		45		45
		% within Adult-Ped		.2%		.2%
	Not Specified	Count		8		8
		% within Adult-Ped		.0%		.0%
Total		Count	71	18189	1	18261
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Sex * Adult-Ped Crosstabulation^a

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Sex	Male	Count	41	16299	1	16341
		% within Adult-Ped	57.7%	89.6%	100.0%	89.5%
	Female	Count	30	1890		1920
		% within Adult-Ped	42.3%	10.4%		10.5%
Total		Count	71	18189	1	18261
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	6	5	11
Diagnosis		% within Sex	.1%	.4%	.1%
	1 (12-23 mo)	Count	3	3	6
		% within Sex	.0%	.2%	.1%
	2-4	Count	2	4	6
		% within Sex	.0%	.3%	.1%
	5-12	Count	4	5	9
		% within Sex	.1%	.4%	.1%
	13-19	Count	34	21	55
		% within Sex	.5%	1.7%	.6%
	20-24	Count	265	105	370
		% within Sex	3.7%	8.5%	4.4%
	25-29	Count	995	223	1218
		% within Sex	13.8%	18.0%	14.4%
	30-39	Count	3683	528	4211
		% within Sex	50.9%	42.5%	49.7%
	40-49	Count	1712	259	1971
		% within Sex	23.7%	20.9%	23.3%
	50-59	Count	426	66	492
		% within Sex	5.9%	5.3%	5.8%
	60-69	Count	92	17	109
		% within Sex	1.3%	1.4%	1.3%
	70+	Count	8	6	14
		% within Sex	.1%	.5%	.2%
	Unknown	Count	1		1
		% within Sex	.0%		.0%
Total		Count	7231	1242	8473
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	2-4	Count	1		1
Age		% within Sex	.0%		.0%
	5-12	Count	8	8	16
		% within Sex	.1%	.6%	.2%
	13-19	Count	5	12	17
		% within Sex	.1%	1.0%	.2%
	20-24	Count	49	22	71
		% within Sex	.7%	1.8%	.8%
	25-29	Count	223	119	342
		% within Sex	3.1%	9.6%	4.0%
	30-39	Count	2443	476	2919
		% within Sex	33.8%	38.3%	34.5%
	40-49	Count	3176	424	3600
		% within Sex	43.9%	34.1%	42.5%
	50-59	Count	1039	143	1182
		% within Sex	14.4%	11.5%	14.0%
	60-69	Count	246	27	273
		% within Sex	3.4%	2.2%	3.2%
	70+	Count	41	11	52
		% within Sex	.6%	.9%	.6%
Total		Count	7231	1242	8473
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	4140	351	4491
		% within Sex	57.3%	28.3%	53.0%
	African American	Count	2008	736	2744
		% within Sex	27.8%	59.3%	32.4%
	Hispanic	Count	1018	137	1155
		% within Sex	14.1%	11.0%	13.6%
	Asian-Pacific Islander	Count	39	12	51
		% within Sex	.5%	1.0%	.6%
	Am Indian-Alaskan	Count	23	4	27
		% within Sex	.3%	.3%	.3%
	Not Specified	Count	3	2	5
		% within Sex	.0%	.2%	.1%
Total		Count	7231	1242	8473
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	5039		5039
Exposure		% within Sex	69.7%		59.5%
	IDU	Count	680	392	1072
		% within Sex	9.4%	31.6%	12.7%
	M-M & IDU	Count	602		602
		% within Sex	8.3%		7.1%
	Hemophiliac	Count	21	2	23
		% within Sex	.3%	.2%	.3%
	Heterosexual Contact	Count	200	419	619
		% within Sex	2.8%	33.7%	7.3%
	Transfusion	Count	29	35	64
		% within Sex	.4%	2.8%	.8%
	Not Classified	Count	638	376	1014
		% within Sex	8.8%	30.3%	12.0%
	Ped Hemophiliac	Count	6		6
		% within Sex	.1%		.1%
	Ped Parent at Risk	Count	13	13	26
		% within Sex	.2%	1.0%	.3%
	Ped Transfusion	Count	3	2	5
		% within Sex	.0%	.2%	.1%
	Ped Other-Undet	Count		3	3
		% within Sex		.2%	.0%
Total		Count	7231	1242	8473
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	13	4477	1	4491
		% within Adult-Ped	40.6%	53.0%	100.0%	53.0%
	African American	Count	18	2726		2744
		% within Adult-Ped	56.3%	32.3%		32.4%
	Hispanic	Count	1	1154		1155
		% within Adult-Ped	3.1%	13.7%		13.6%
	Asian-Pacific Islander	Count		51		51
		% within Adult-Ped		.6%		.6%
	Am Indian-Alaskan	Count		27		27
		% within Adult-Ped		.3%		.3%
	Not Specified	Count		5		5
		% within Adult-Ped		.1%		.1%
Total		Count	32	8440	1	8473
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Sex * Adult-Ped Crosstabulation^a

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Sex	Male	Count	15	7215	1	7231
		% within Adult-Ped	46.9%	85.5%	100.0%	85.3%
	Female	Count	17	1225		1242
		% within Adult-Ped	53.1%	14.5%		14.7%
Total		Count	32	8440	1	8473
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	30	27	57
Diagnosis		% within Sex	.3%	1.1%	.4%
	1 (12-23 mo)	Count	4	10	14
		% within Sex	.0%	.4%	.1%
	2-4	Count	7	9	16
		% within Sex	.1%	.4%	.1%
	5-12	Count	20	9	29
		% within Sex	.2%	.4%	.2%
	13-19	Count	86	115	201
		% within Sex	.8%	4.7%	1.5%
	20-24	Count	590	280	870
		% within Sex	5.3%	11.5%	6.5%
	25-29	Count	1571	442	2013
		% within Sex	14.2%	18.2%	15.0%
	30-39	Count	5314	911	6225
		% within Sex	48.2%	37.5%	46.2%
	40-49	Count	2605	458	3063
		% within Sex	23.6%	18.8%	22.8%
	50-59	Count	648	126	774
		% within Sex	5.9%	5.2%	5.7%
	60-69	Count	136	32	168
		% within Sex	1.2%	1.3%	1.2%
	70+	Count	11	8	19
		% within Sex	.1%	.3%	.1%
	Unknown	Count	9	3	12
		% within Sex	.1%	.1%	.1%
Total		Count	11031	2430	13461
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	0 (0-11 mo)	Count	2		2
Age		% within Sex	.0%		.0%
	1 (12-23 mo)	Count	5	2	7
		% within Sex	.0%	.1%	.1%
	2-4	Count	11	11	22
		% within Sex	.1%	.5%	.2%
	5-12	Count	26	28	54
		% within Sex	.2%	1.2%	.4%
	13-19	Count	24	52	76
		% within Sex	.2%	2.1%	.6%
	20-24	Count	257	162	419
		% within Sex	2.3%	6.7%	3.1%
	25-29	Count	647	324	971
		% within Sex	5.9%	13.3%	7.2%
	30-39	Count	4017	893	4910
		% within Sex	36.4%	36.7%	36.5%
	40-49	Count	4329	678	5007
		% within Sex	39.2%	27.9%	37.2%
	50-59	Count	1350	218	1568
		% within Sex	12.2%	9.0%	11.6%
	60-69	Count	313	47	360
		% within Sex	2.8%	1.9%	2.7%
	70+	Count	48	13	61
		% within Sex	.4%	.5%	.5%
	Unknown	Count	2	2	4
		% within Sex	.0%	.1%	.0%
Total		Count	11031	2430	13461
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	6120	674	6794
		% within Sex	55.5%	27.7%	50.5%
	African American	Count	3220	1440	4660
		% within Sex	29.2%	59.3%	34.6%
	Hispanic	Count	1557	286	1843
		% within Sex	14.1%	11.8%	13.7%
	Asian-Pacific Islander	Count	70	14	84
		% within Sex	.6%	.6%	.6%
	Am Indian-Alaskan	Count	34	9	43
		% within Sex	.3%	.4%	.3%
	Not Specified	Count	30	7	37
		% within Sex	.3%	.3%	.3%
Total		Count	11031	2430	13461
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	7512		7512
Exposure		% within Sex	68.1%		55.8%
	IDU	Count	906	626	1532
		% within Sex	8.2%	25.8%	11.4%
	M-M & IDU	Count	847		847
		% within Sex	7.7%		6.3%
	Hemophiliac	Count	27	2	29
		% within Sex	.2%	.1%	.2%
	Heterosexual Contact	Count	321	786	1107
		% within Sex	2.9%	32.3%	8.2%
	Transfusion	Count	36	42	78
		% within Sex	.3%	1.7%	.6%
	Not Classified	Count	1314	918	2232
		% within Sex	11.9%	37.8%	16.6%
	Ped Hemophiliac	Count	14		14
		% within Sex	.1%		.1%
	Ped Parent at Risk	Count	44	47	91
		% within Sex	.4%	1.9%	.7%
	Ped Transfusion	Count	3	3	6
		% within Sex	.0%	.1%	.0%
	Ped Other-Undet	Count	7	6	13
		% within Sex	.1%	.2%	.1%
Total		Count	11031	2430	13461
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	38	6750	6	6794
		% within Adult-Ped	32.8%	50.6%	50.0%	50.5%
	African American	Count	63	4593	4	4660
		% within Adult-Ped	54.3%	34.4%	33.3%	34.6%
	Hispanic	Count	14	1827	2	1843
		% within Adult-Ped	12.1%	13.7%	16.7%	13.7%
	Asian-Pacific Islander	Count	1	83		84
		% within Adult-Ped	.9%	.6%		.6%
	Am Indian-Alaskan	Count		43		43
		% within Adult-Ped		.3%		.3%
	Not Specified	Count		37		37
		% within Adult-Ped		.3%		.3%
Total		Count	116	13333	12	13461
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas

Sex * Adult-Ped Crosstabulation^a

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Sex	Male	Count	61	10961	9	11031
		% within Adult-Ped	52.6%	82.2%	75.0%	81.9%
	Female	Count	55	2372	3	2430
		% within Adult-Ped	47.4%	17.8%	25.0%	18.1%
Total		Count	116	13333	12	13461
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = North Central Texas